



Инжекторы серии DL - 32

DL-32



. 5

0,026 ³ (0,0016 cu.in)



	((, (inch)			
()) Push-in 1/8Î	inox AISI 304)		Α	В	D	F
1524521	1524751	1524921	1	44,5 (1,75)	31,7 <i>(1,25)</i>		
1524522	1524752	1524922	2	63,5 (2,5)	50,7 <i>(</i> 2 <i>)</i>	~50	~44
1524523	1524753	1524923	3	82,5 (3,24)	69,7 (2,74)	(~1,96)	(~1,73)
1524524	1524754	1524924	4	101,5 <i>(4)</i>	88,7 (3,5)		

,	1/8+	1524520	
,	push-in	1/8+	1524750
lnox.		1/8+	1524920

Ø 1/8+.

NBR (max. 90°C - 194°F).

, Ø 1/4+20 UNC

2.

ИТАЛИЯ Dropsa SpA t. +39 02-250791 f.+39 02-25079767

КИТАЙ

Dropsa Lubrication Systems (Shanghai) Co., Ltd t. +86 (021) 67740275 f. +86 (021) 67740205

ВЕЛИКОБРИТАНИЯ

Dropsa (UK) Ltd t. +44 (0)1784-431177 f. +44 (0)1784-438598

С.Ш.А.

Dropsa USA Incorporated t. +1 586-566-1540 f. +1 586-566-1541

ГЕРМАНИЯ

Dropsa GmbH t. +49 (0)211-394-011 f. +49 (0)211-394-013 РОССИЯ

Dropsa OOO t. +7(473)2021000

АВСТРАЛИЯ

Dropsa Australia Pty t. +61 (02)-9938-6644 f. +61 (0)2-9938-6611

БРАЗИЛИЯ

Dropsa Do Brasil Ind.e Com.Ltda t. +55 (0)11-563-10007 f. +55 (0)11-563-19408

http://www.dropsa.com E-mail: sales@dropsa.com WK 27/15 C2070PI