



DROPSA POLAR GREASE NLGI 2

Material Safety Data Sheet

PN# 3226667

Pag .1/6

Lubrication Systems and Solutions Specialists

C2132IE WK 09/09

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

Product details DROPSA POLAR GREASE NLGI 2
LITHIUM BASED GREASE
PN 3226667

Recommended use:
Greasing

Identification of the manufacturer / supplier

Dropsa SpA

Via B.Croce, 1

VIMODRONE (MI)

ITALY

Phone: +39 02 25079 1

Fax: +39 02 25079 767

E-Mail: sales@dropsa.com

2. HAZARD POSSIBILITIES

Hazard designation

The product does not require a hazard warning label.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterisation

Liquid based on mineral oil with synthetic hydrocarbons, lithium soaps and specific components.

Hazardous ingredients:

EINECS-No.	Name	Symb.	Conc.-%
------------	------	-------	---------

CAS-No.	R-phrases		
---------	-----------	--	--

n.a.

Additional information:

For Meanings of R-phrases see under chapt.16.

4. FIRST AID MEASURES

General information

Remove contaminated clothing immediately and dispose of safely.

After skin contact

In case of contact with skin wash off immediately with plenty of water

After eye contact

In case of contact with the eyes rinse thoroughly with plenty of water or with an eye-cleaning solution.

In case of irritation consult a doctor or optician.

After ingestion

Do not induce vomiting.

Rinse out of mouth and drink plenty of water.

Summon a doctor immediately.

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Foam

Dry powder



DROPSA POLAR GREASE NLGI 2

Material Safety Data Sheet

PN# 3226667

Carbon dioxide

Extinguishing media that must not be used for safety reasons

Full water jet

Special exposure hazards arising from the substance or preparation itself, its combustion products or from resulting gases

In the event of fire the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

In case of combustion evolution of dangerous gases possible.

Special protective equipment for firefighting

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Other information

Cool endangered containers with water spray jet.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective clothing.

Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Methods for cleaning up/taking up

Take up with absorbent material (eg. sand, kieselguhr, universal binder).

Dispose of absorbed material in accordance with the regulations.

7. HANDLING AND STORAGE

Handling

Advice on safe handling

Use personal protective clothing.

Open and handle container with care.

Avoid formation of aerosols.

Advice on protection against fire and explosion

No special measures necessary.

Storage

Requirements for storage rooms and vessels

Protect from frost.

Protect from heat and direct sunlight.

Keep container tightly closed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional hints on technical system design.

See chapter 7; no measures exceeding the ones mentioned are necessary.

Ingredients with occupational exposure limits to be monitored

EINECS-No.	Name	Type	Value	Unit

Personal protective equipment

Respiratory protection

Breathing apparatus in the event of aerosol or mist formation.

Hand protection

Recommendation: Impermeable safety gloves made of nitrile as per EN 374; penetration time more than 480 min. at a thickness of 0.4 mm.



DROPSA POLAR GREASE NLGI 2

Material Safety Data Sheet

PN# 3226667

Eye protection

Safety glasses with side protection shield

General protective measures

Do not inhale gases/vapours/aerosols.

Avoid contact with eyes and skin.

At work do not eat, drink, smoke or take drugs.

Keep away from foodstuffs and beverages.

Wash hands before breaks and after work.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form pasty

Colour amber

Odour typical

Value Unit Method

Flash point > 190 °C ISO 2592

Viscosity 20 °C n.a.

Density 15 °C 1.00 g/cm3 DIN 51757

Lower explosion limit n.a. Vol.%

Upper explosion limit n.a. Vol.%

Solubility in water / method insoluble

Pourpoint not applicable to °C

Boiling point n.b. °C

Bulk density n.a. kg/m3

Vapour pressure 20 °C n.a. mbar

pH value 20 °C n.a.

10. STABILITY AND REACTIVITY

Materials to avoid

Reactions with strong oxidising agents.

Hazardous decomposition products

No hazardous reactions when stored and handled according to prescribed instructions.

11. TOXICOLOGICAL INFORMATION

General remarks

No toxicological data are available.

Experience in practice

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

12. ECOLOGICAL INFORMATION

Do not discharge into the drains/surface waters/groundwater.

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

13. DISPOSAL CONSIDERATIONS

Product

Waste code

120112 spent waxes and fats



DROPSA POLAR GREASE NLGI 2

Material Safety Data Sheet

PN# 3226667

The listed waste code numbers, according to the European Waste Catalogue (EWC), are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company.

Uncleaned packaging

Untamated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

14. TRANSPORT INFORMATION

"Product is not subject to the regulations for dangerous goods".

15. REGULATORY INFORMATION

Labelling in accordance with EC directives

The product does not require a hazard warning label in accordance with EC directives/ GefStoffV (German regulations on dangerous substances).

Contains:

n.a.

National regulations

Water hazard class / source 1

(VwVwS)

VbF (Germany) :-

16. OTHER INFORMATION

n.a.

The data mentioned in the present safety data sheet correspond to our latest knowledge and experience and may be used to specify safety requirements for the different products. The information given therein however does not qualify as information for warranty purposes.

Please also read our technical data sheet.

Revised chapters:

1,2,3,8,11,12,15,16.

n.a.: not applicable

n.b.: not determined

ITALY
Dropsa Spa
t. +39 02 250791
f. +39 02 25079767
sales@dropsa.com

GERMANY
Dropsa GmbH
t. +49 (0)211 394 011
f. +49 (0)211 394 013
info@dropsa.de

SPAIN
Polydrop, S.A.
t. +39 (0)93 260 22 50
f. +39 (0)93 260 22 51
engrase@polydrop.com

AUSTRALIA
Dropsa Australia Ltd.
t. +61 (0)2 9938 600644
f. +61 (0)2 9938 6611
salesau@dropsa.com

CINA
Dropsa Lubrication System
(Shanghai) Co. Ltd
t. +89 (021) 67740275
f. +89 (021) 67740205
china@dropsa.com

U.K.
Dropsa (UK) Ltd
t. +44 (0)1784 431177
f. +44 (0)1784 438598
salesuk@dropsa.com

FRANCE
Dropsa Arne
t. +33 (0)1 3993 0033
f. +33 (0)1 3986 2639
salesfr@dropsa.com

U.S.A.
Dropsa Corporation
t. +1 586 566 1540
f. +1 586 566 1541
salesusa@dropsa.com

BRAZIL
Dropsa do Brazil
t. +55 (0)11 563 10007
f. +55 (0)11 563 19408
salesbr@dropsa.com

